

OAGH-62 Steel Trawler Yacht



Preliminary Specifications

L.O.A.	61' 11"	18.87m
L.W.L	56' 04"	17.17m
Beam	18' 02"	5.54m
Draft	6' 00"	1.84m
Fuel	2,000 gal	7,570 L
Water	350 gal	
Power	Twin 235HP @2100rpm	
Speed	Max 12 Knots	
Range	Approx 2000nm	

Construction

- First Marine grade Steel
- Four (4) sections of watertight bulkheads.
- Rudder: SS stock, SS plate rudder.
- Cabin room and Saloon and Galley : Insulated by 'Urethane Foam'
- Engine Room : Forced Fan ventilation system
- Topsides: Finished with Awlgrip coating scheme www.awlgrip.com
- Underbody: Coated with quality *International* antifouling paint.

Engine System

- Propeller 4 blades x 2 sets with propeller shaft
- Engine, twin *John Deere Powertech* 8.1L M1 235 hp @2100rpm or equivalent
- Oil base seal stern tube

Bow Thruster

- 15HP, DC 24V, *Sleipner Motor AS*, www.side-power.com

Bulbous Bow & bilge keels-Option

To be added without cost if Owner request

Steering System

- 2 positions at wheel house and cockpit
- *LS-France*, France, www.ls-france.com
- Hydraulic steering system
- SS steel rudder
- Hydraulic Equipment (Pump & Cylinder)

Air-conditioner

- Cooling and heating air condition to each space
- Air-con pump, *Marine Air System*, USA, www.marineairsystem.com

Windlass, Capstan, Anchor and chains

- One stainless 316L anchors at bow center
- Remote control from wheel house
- Galvanized chain & rope
- Windlass, *Muir Engineering*, Australia, www.muir.com.au or *Maxwell* NZ

Pump

- DC 24V, pump maker, *Johnson Pump*, Sweden, www.johnson-pump.com

Electrical System

- Generator : *Northern Lights* 20Kw or Onan
- AC/DC System, *Mastervolt* in Germany www.mastervolt.com
 - Shore power inlets
 - Inverter/charger combination
 - Illuminated main circuit breaker distribution panel
 - AC 110/230V outlets
 - AC 110/230V GFI outlets in head

- Battery (Starting, House, Generator, etc) - gel type
- Illuminated main circuit breaker distribution panel
- Battery condition gauge

Navigation Equipment, FURUNO/JRC/RAYMARINE

- Auto pilot
- GPS
- Rader
- Echo sounder
- Navigation light

Deck Covering

- Teak wood or *Flexiteek* for all deck covering

Enclosed Flybridge

- Monitoring & remote control system
- Pilot Chairs
- Sofa

Wheel house

- Monitoring & remote control system
- Computer system for accommodation entertainment
- Pilot Chairs
- One single bed
- Settee

Galley

- Double stainless steel sink with faucet
- Hot and cold water
- Storage below counter and overhead lockers
- Refrigerator 160L
- Gas or electric range with oven and grill for cooking
- AC 110/230V outlets

Saloon

- Main electrical distribution panel and batteries, inverter/charger combination
- Settee with coffee table
- TV + Audio included in DVD, CD and radio
- AC 110/230V outlets

Two double bed rooms

- Bed
- Bed mat latex 250mm
- TV + Audio included in DVD, CD and radio
- Small refrigerator 50L
- AC 110/230V outlet
- Cabinet
- Hanging Locker

One 2nd floor bed room

Ocean Asia Inc Ltd

Email: info@ocean-asia.com

Web: www.ocean-asia.com

- Single Bed x 2, over and under
- Bed mat latex 200mm
- AC 110/230V outlet
- Cabinet
- Hanging Locker

Two toilets

- Electric Toilet, Toilet attached pump, *Vetus Den Ouden NV*, Holland, www.vetus.nl
- Washstand
- Shower
- AC 110/230V outlet

Fresh Water System

- SS water tank with valves
- Water Heater (By AC 110/230V or Engine cooling water)
- Automatic pressure water system with pressure storage tank
- SS deck fill plates

Fuel System

- SS (or aluminum) fuel tank
- Fuel filters and water separators
- SS deck fill plates
- Fuel manifold and valves

Sea Water System

- Deck washing pump line
- Air-con cooling line
- M/E, G/E cooling line
- Toilet

Bilge System

- Overboard discharge
- Bilge pump with float switch
- Submersible pump

Waste Disposal System

- SS holding tank
- Overboard discharge
- DC 12/24V Discharge pump and overboard discharge

Option Items

1. Communication equipment
2. SOLAS equipment
3. Alternative engine selection
4. Rescue/Inflatable or RIB Boat
5. Stern thruster
6. Fin stabilizers
7. Dinghy davit/crane
8. Washer/drier and dishwasher



