



## OAMH-56 Motor Yacht



### Principal Dimensions

Length Overall: 55' 10" (17.0m)

Beam: 15' 09" (4.8m)

Draught: 3' 05" (1.05m)

Displacement (Approx): 60,000 lbs (27,500 kgs)

Fuel Capacity: 800 US Gallons (3,000 litres)

Fresh Water: 400 US Gallons (1,500 litres)

Range: Approx 1,500nm (dependent on engines)

Construction: Hand-laid GRP

## Standard Equipment

### Mechanical Equipment

*CUMMINS* QSM-11 marine diesel engines, 2 x 455hp @ 2100rpm equipped, fresh water cooling .  
Two *ZF* gear boxes  
Engine overheat & low oil pressure alarms.  
Drip pan under each engine  
*Hydralift* wet mufflers with exhausts through the transom.  
Complete engine instrumentation at each control station.  
Trim tabs recessed into hull under swimstep.  
*Racor* fuel filter system.  
Sea water strainers  
S/S prop shafts.  
*P.Y.I.* dripless shaft seal.  
*Hydraulic* steering system  
Four bladed propellers  
Rudders- fiberglass blades with s/s shafts.  
*Morse* engine throttle & gear box controls (individual).  
Engine room blowers & air intake vents.  
Superior engine room sound insulation  
Three automatic bilge pumps  
Manual bilge pump  
Complete fuel manifold and fuel return manifold system  
Two fuel tanks welded aluminum with sumps, sight gauges, clean-out hand holes  
Stainless steel water tanks with shut off valves  
Seacocks on all through-hull fittings at or below water line  
*Raritan* 20 gallon hot water heater with diaphragm type automatic pressure pump  
*Jabsco* 12Vdc pressurized constant pressure fresh water pump system  
All thru-hulls at or below water line are double s/s hose clamped

### Hardware

Anchor platform with twin rollers.  
*Maxwell HWC -2200* 12Vdc electric windlass with up/down switches at helm station and fore deck  
Anchor (45lb plough)  
Bow thruster w/ controls at each station *Vetus* electric or equivalent.  
Bow & stern staffs.  
Deck rails 1-1/4" stainless steel.  
Stainless steel rub rails  
Cleats-2 bow, 2 amidships, 2 aft with chocks or fair leads s/s.  
Deck hatch over forward cabin.  
Doors and windows outside – S/S framed  
Port lights S/S in hull with screens (or equivalent).  
Fiberglass or aluminum Radar arch with deck illumination lighting.  
Horn electric.  
Ladder from after deck to boat deck.  
Hatch to boat deck.

Swim platform integral to hull.  
Flybridge helm seat *Springfield* adjustable.  
Transom gate with steps and side gates  
Windscreen wiper and washer (3).  
*Aquasignal*/international navigation lights.  
Main deck 12 vdc ceiling lights starboard and aft.  
Interior handrailings for stairs to be brushed stainless steel or acrylic.  
Accommodation *Halogen* ceiling lights.  
*Halogen* Reading lights in cabins.  
Engine room and lazarette overhead lighting  
Cabin door locks etc.  
Transom hot and cold fresh water shower  
4 step folding s/s swim ladder

### **Electrical System & Components**

*Onan* diesel generator 13.5KW - 240V AC 50Hz complete with sound shield, muffler & fresh water cooling & separate starting battery.  
Five heavy-duty 200 AMP hour engine starting & lighting batteries in FRG. battery boxes. Engine batteries parallel for starting.  
Customized *Paneltronics* (or equivalent) electrical panel utilizes USCG approved circuit breakers fitted with polarity indicator light, ship/shore switch, back lighting, integrated AC and DC volt/amp meters and concealed behind a lockable door.  
Wiring to be color coded & numbered.  
Automatic battery 3 stage "smart" charger.  
Engine hour meter.  
Stereo speakers in each cabin.  
Electrical outlets to galley & each cabin.  
Ship to shore 15-amp dock side inlet fitting.

### **Flybridge**

Helm station fwd with helm seat  
Engine instrumentation and controls  
Long settee with fixed table to each side.  
Vinyl cushions with foam & mesh backs.  
All seating with ample storage under.  
Storage in flybridge brow and mast base  
Non-skid painted deck.  
26" s/s destroyer type steering wheel  
Clear Lexan windscreen.  
D.C outlet for accessory located adjacent to helm station.  
220volt *GFI* outlet

### **Saloon**

Hi/Lo or yacht table optional.  
Bar with bottle storage.  
Plywood painted sole to accept carpeting.  
Hatch access to engine room with ladder. Gas stay fitted to hatch.

S/S Access door aft.

Overhead lights 12 volt *Halogen*.

Headliner of white acoustic vinyl

All furniture & bulkheads are golden Burmese teak (other woods available as option).

"U" shaped sofa seat with storage under

### **Galley**

Teak galley unit.

*Princess* propane stove with oven.

Xintex propane control and alarm panel.

Trash cabinet

Twin Stainless steel sinks with cover & single lever faucet.

*Tundra* 12VDC/220VAC refrigerator.

Drawers and cabinets under counter.

Overhead dish lockers.

Exhaust blower.

Overhead lights 12-volt dc *Halogen*

Teak and holly sole

### **Lower Helm**

26" Destroyer wheel

Helm station centered

Overhead electronics console.

Teak and holly sole.

Chart storage cabinet.

### **Master Stateroom**

Standard bed with drawers fitted under

Wardrobe with auto light.

Painted plywood sole prepared ready for carpet

Teak bulkheads & furniture.

Mirror.

Headliner of white acoustic vinyl.

*Halogen* Reading lamps 12 volts.

*Halogen* Overhead lights 12 volts.

En-suite toilet & shower.

### **Forward Cabin**

Island bed with drawers underneath.

Wardrobe with auto light.

Teak bulkheads.

Teak & holly sole.

Headlining white acoustic vinyl.

*Halogen* Reading lamps 12 volt

*Halogen* Overhead light 12 volt.

## **Guest Cabin**

2 berths with drawers underneath.  
Wardrobe with auto light.  
Teak bulkheads.  
Teak & holly sole.  
Headlining white acoustic vinyl.  
*Halogen* Reading lamps 12 volt  
*Halogen* Overhead light 12 volt.

## **Heads**

FRP Shower stall with bi-fold door.  
Shower sole white Ceramic tiles with built in automatic drainage system..  
Vanity unit fitted with ceramic washbasin in white marble counter top.  
Single lever shower & sink H & C water faucets.  
220 volt outlets to be of *GFI* type.  
Teak & holly sole.  
Mirror.  
12vdc Electric toilets  
Exhaust blower.  
White headliner.  
*Halogen* Overhead lights 12 volt.  
40 gal fiberglass holding tank with Y-valve, macerator pump, deck discharge outlet, inspection port to tank in engine room and remote "Full" display pane in head.

## **Miscellaneous**

Teak trim Min 5 coats of varnish.  
Antifouling bottom paint  
Owner's manual.  
Constructed to ABYC and ABS standards

NB – All specifications are subject to change without notice. All measures & weights are approx.

## **OPTIONAL EQUIPMENT**

Bigger engines  
Carved name boards  
*Marine Air* conditioning  
Dish washer  
*Vacuflush 800* series heads with household size bowls.  
Central vacuum system  
Washer/dryer combo  
Bimini Top  
Canvas flybridge and windshield covers  
Curtains

Teak sole in saloon and master suite  
Teak main deck  
Teak flybridge deck  
Deck wash fresh water  
Hull color change from white  
Intercom 12Vdc  
Rudder angle indicators 2 station  
Search light  
Teak wheel rim (Lower station)  
Radar, GPS, Plotter, Autopilot Fish Finder  
CE Certification