

# OASB-53 Euro Style Trawler Yacht



## SPECIFICATIONS

Length Overall:	_____ 52 ft 9.46"	16.090m
Hull Length:	_____ 51 ft 6.1"	15.700m
Beam:	_____ 15 ft 3.86"	4.670 m
Length of Waterline:	_____ 45 ft 7.24"	13.900m
Depth:	_____ 7 ft 7.53"	2.325m
Draught (approx.):	_____ 3 ft 4.91"	1.039m
Displacement:	_____ 48,110 lbs	21.82 tonnes
Water Capacity:	_____ 200 US Gal.	760 litres
Water Holding Tank (US Gal.):	_____ 60 US Gal.	230 litres
Fuel Capacity:	_____ 500 US Gal.	1,900 litres
Range (approx.):	_____ 250 miles	470 km

Built to ABYC and ABS as standard  
CE certification available

**CONSTRUCTION**

- \* Solid glass with Vinyl-ester barriers.
- \* High Quality Gel-coat.

**ENGINE and MECHANICAL**

- \* Twin Yanmar or Volvo Penta 440hp marine diesel engines.
- \* Hydraulic engine controls.
- \* Hydraulic trim tabs.
- \* Hydraulic dual station steering.
- \* Power steering with teak steering wheels.
- \* Stainless steel shafts with "Dripless" shaft seals.
- \* Four MnBr blade propellers.
- \* 12 KW Gen-set with sound shield & remote control panel.
- \* 500 gallon aluminium fuel tank.
- \* 200 gallon aluminium fresh water tank.
- \* Fuel and water tank gauges.
- \* Fuel transfer pump Port/Starboard – with remote switch.
- \* Brass sea-cocks with heavy duty strainers for engines and gen-sets.
- \* Ventilation ducts and engine room blowers.
- \* Sound insulation throughout.

**SANITARY AND PUMP SYSTEMS**

- \* 3 automatic electric bilge pumps.
- \* Electric bilge blowers.
- \* Electric head and galley blowers.
- \* 60 gallon holding tank.
- \* Automatic electric shower sump pumps.
- \* 2 electric marine toilets.
- \* 20 gallon electric hot water heater with exchanger.
- \* Pressure water system.

**ELECTRICAL SYSTEMS**

- \* 16,000 BTU reverse cycle A/C.
- \* 30/50 Amp AC shore power service.
- \* Full AC/DC circuit breaker panels.
- \* Multi AC outlets throughout.
- \* Anti-Corrosion bonding systems.
- \* 12 V DC light interior and exterior.
- \* Dual engine alarm system.
- \* 6 Group 31 12V DC batteries in protective boxes.
- \* 2 kW inverter.
- \* Dual compasses.
- \* 2 VHF radios.
- \* Radar, GPS, chart plotter package.
- \* Dual depth sounder.
- \* 2 Electric Heaters.

## HARDWARE AND MISCELLANEOUS EXTERIOR

- \* Stainless steel #316 stanchions and railing.
- \* 8 stainless steel #316 Cleats.
- \* 6 stainless steel #316 port lights.
- \* Integrated swimming platform with stainless steel ladder.
- \* PVC rub-rail with stainless steel inserts.
- \* Dual stainless steel #316 transom doors.
- \* Tempered and fixed windows.
- \* Curved 3 piece windshield.
- \* 3 windshield wipers with freshwater washers.
- \* Power helm station sliding door.
- \* Curved main salon door with stainless steel #316 frame.
- \* Round foredeck hatch-door.
- \* Recessed rear fender & line lockers.
- \* Recessed bow fender & line locker with freshwater wash-down.
- \* Electric windlass with foot switch controls.
- \* Dual trumpet air horns.
- \* Shore TV cable and phone connections.
- \* Complete navigation lighting.
- \* Exterior deck lights with rope lighting under deck and stairs.
- \* Hot/Cold freshwater transom shower.
- \* Anti-fouling bottom paint.

## SALOON AREA



## MAIN HELM



## FLYBRIDGE HELM

