



Principal Dimensions:

Length Overall: 6.50m

Hull length: 6.10m

Beam: 2.25m

Draught: 0.40m

Berths: 2

Fuel capacity : 150 litres

Headroom: 1.90m

Passengers: 5

Top Speed: 33.5Kts/6000RPM

Maximum engine power: 120HP

CE Category: B

STANDARD EQUIPMENT

- * Hand laid fiberglass construction
- * Polyester resins above the waterline, 3 coats of Vinylester resins below the waterline, bi-axial uni-directional stitched roving and mats, longitudinal stringers, transverse frames under the waterline, integral keel & struts
- * FRP non-skid Deck

DECK & COCKPIT

- * Self draining cockpit
- * Splash well, draining
- * 4 x S.S. rod-holders in gunwale
- * S.S fuel tank 150L with *WEMA* fuel sensor & indicator
- * Storages under cockpit deck with S.S latches
- * Larger anchor locker in bow area with self-draining
- * Foredeck U shaped sofa with removable table
- * Larger under-seat storage area with covers

CONSOLE

- Molded fiberglass wrap-around console
- Storage compartment with inspection FRP door in console
- Forward console seat/built-in storage with cushion & backrest
- FRP helm seat with storage under
- Dash panel with waterproof circuit breakers
- Perspex windshield
- Compass at steering position

MISCELLANEOUS

- * Cushions for all seating
- * Rubbing strake
- * 4 cleats
- * 3 x S.S lifting ring plates
- * 316 S.S. bow grab rails
- * *JABSCO* electrical and auto bilge pump
- * *TMC* Manual bilge pump
- * 2x 60 Ah Batteries
- * Battery cut-off switch
- * International navigation lighting

OPTIONS:

- * Boat w/Engine (Engine Installation Included):
 - Yamaha® 100 hp Four-stroke (single)
 - Yamaha® 115 hp Four-stroke (single)
 - Suzuki ® 115 hp Four-stroke (single)
 - Mercury ® 115 hp Four-stroke (single)
- * Steering system including steering wheel, steering pump and control cable
- * Stereo and CD with 2 water-proof speakers
- * S.S. swim ladder
- * S.S. anchor roller
- * Electric horn

Ocean Asia Inc Ltd

Email: info@ocean-asia.com

Web: www.ocean-asia.com

* S.S. T-top with four rod holders

Specifications as well as standard and optional equipment are subject to change without notice. All measurements approximate.

1