



OAJX-32 Sedan Trawler Yacht



SPECIFICATIONS

LOA - 32' (9.92m)

LWL - 29'7 (9.22m)

BEAM - 12' (3.72m)

DRAFT - 3'8" (1.16m)

DISP - 13,500LBS APP.(6,075kgs).

FUEL - 250 US GAL.(950 ltrs)

WATER - 80 US GAL.(303 ltrs)

MECHANICAL EQUIPMENT

- * Single Cummins or Yanmar 120hp.marine diesel engine.
- * Engine overheat & low oil pressure alarm.
- *Complete engine instrumentation at fly-bridge control station. Note. Lower station helm optional.
- * GRP drip pan under engine.
- * Stainless steel propeller shaft 316(1.75"-44.45mm).
- * Dripless stern gland for engine shaft.
- * 3 or 4 bladed propeller.
- * Rudder fiberglass blade / s.s. shaft
- * Inline wet box muffler in FRP.
- * Hydraulic steering system with reservoir.
- * 12Vdc 1500 GPH electric bilge pump system(2). 12V、 1500GPH
- * Manual bilge pump with two suction points and shut off valves.
- * Morse engine throttle & gear box control unit at flybridge helm station.
- * Sea cocks on all through hull fittings with double hose clamps.
- * Fuel tanks black iron with hand hole clean out ports, sight gauges, sumps and balancing line.
- * Water tankage #304 grade welded s/s with shut off valve & sight gauge.
- * Bronze basket type internal sea water strainer for main engine.
- * Racor fuel filter.
- * 12 gallon 120V or 240V dual heating hot water heater.
- * 12Vdc electric pressurized fresh water pump.
- * 12Vdc 4"electric blower/extraction fan unit in engine compartment(2).

HARDWARE

- * GRP anchor platform with twin rollers.
- * Bow & stern flag staffs in stainless steel.
- * Cleats 8" -2 bow, 2 midship, 2 aft with chocks.
- * Stainless steel rub rails.
- * Preparation for optional windlass installation, including wiring and circuit breaker.
- * Horn 12Vdc(electric). 12V DC
- * Swim platform-30" moulded GRP with teak slats and s/s rub rails.
- * Deck rails-1.25"(31.7mm) stainless steel wrap around with teak caps on main deck and s/s top rail.
- * Stern access gate with step plate.
- * 12Vdc accommodation ceiling lights.
- * Cabin door locks in s/s with key.

- * Windows are aluminium framed clear glass with insect screens. Selected windows slide.
- * International navigation lights.
- * Brass 12Vdc reading lights in cabin (2).

ELECTRICAL SYSTEM & COMPONENTS

- * PT 45 Newmar or similar multi-stage 3 bank automatic battery charger in
- * 120VAC OR 240VAC including built-in amp meter & circuit breaker.
- * Two heavy duty 200 AMP hour engine start & house batteries in FRP boxes with lid.
- * Electrical panel in 12Vdc and 120V OR 240V AC fitted with volt and amp meters, independent electric bilge pump auto/manual switching, circuit breakers with back lighting & battery bank indicator meter all located behind a clear plexiglass door. 12Vdc and 120V OR 240V AC,
- * Stereo speakers in saloon with wiring to cabinet (2).
- * 120V OR 240V AC .electrical outlets to saloon and galley area.
- * Battery cut off switching panel.
- * Ship to shore 30 amp 120VAC or 32 amp 240VAC dock side inlet fitting.
- * Integrated galvanic isolator.
- * Copper bonding strap with ground cable attachment for each fitting.

FLYBRIDGE

- * Helm station centred with swivelling helm seat
- * Vinyl cushions with mesh backing.
- * All seating with ample storage under.
- * Storage in flybridge brow .
- * Non skid diamond pattern finish deck.
- * 26"s/s destroyer type steering wheel.
- * Clear plexiglass windscreen with s/s grab rail.
- * D.C outlet for accessory.
- * Navigation light mast mounted at brow.
- * S/S safety rail aft (1.25")(31.7mm).

COCKPIT/MAIN DECK

- * White GRP hull & superstructure. Non skid diamond pattern finish deck.
- * Steps port/stbd to foredeck.
- * Ladder to flybridge.
- * Transom door.
- * Hatch to lazarette area.

SALOON

- * Convertible dinette to starboard complete with cushion set and storage under. White formica table top with teak trim.
- * Teak and Holly sole.
- * Hinged door to cockpit deck with glass pane insert.
- * Overhead teak grab rail.
- * Overhead lights 12 volt d.c.
- * All furniture & bulkheads are golden Burmese teak.
- * Head lining vinyl panels.
- * Wardrobe with auto light and door lock located adjacent to settee.

GALLEY

- * Teak galley unit with white formica counter top & splash back.
- * Counter top type 2 burner LPG stove.
- * Stainless steel sink with cover & single lever swivel type faucet.
- * **Norcold** 541 flush mount series under counter 12Vdc/120V OR 240V AC refrigerator/freezer unit or similar.
- * Drawers & cabinet with shelves under counter.
- * Hinged dish and cup locker over galley counter unit.
- * 12Vdc 3"electric exhaust fan above stove with stainless facia plate.

ACCOMMODATION

- * Vee berth arrangement with 5" (127mm) foam mattresses (2).
- * Teak & formica bulkheads with teak furniture.
- * Reading lamps brass 12Vdc(2).
- * Forward hatch with built in insect screen.
- * Teak and Holly sole.
- * Drawers under vee-berth.
- * Chain locker access door.
- * Bilge access hatch in sole.

HEAD/SHOWER


- * Vanity unit fitted with integrated wash basin and counter top with splash back, single lever shower & sink hot and cold water faucets.
- * Mirror with frame.
- * Jabsco 12Vdc electric macerator head with household size bow I(1).
- * 12Vdc 3"exhaust fan (1).
- * White formica finish head lining & bulkheads.

- * Overhead light 12 volt d.c.
- * 24 gal (91 litre) linear polyurethane holding tank with Y-valve located under sole with Jabsco macerator pump, deck discharge outlet & remote "Full" display panel in head.
- * Shower sole fiberglass base with automatic sillage system & removable teak grating board.
- * Curtain rod.

MISCELLANEOUS其它

- * All decks non skid diamond pattern finish.
- * Teak cap rails & trim. Min 5 coats of varnish.
- * Hull bottom anti-fouled paint.
- * Emergency tiller (single engine only.)
- * All drawers drop down to lock type.

This is a new Model design >



Also available without flybridge

